Stylish Curtains, Blinds, Shutters, Awnings, Louvre Roofs & Insect Screens

You name it, we make it!



Message from Graeme Rose



STYLE, SERVICE. INNOVATION AND **INSPIRATION**

Window Treatments NZ Ltd design and manufacture stylish curtains, blinds, shutters, awnings, louvre roofs and insect screens here in New Zealand and overseas, using components that meet the highest international standards.

Our management team introduces superior technology and innovation whenever possible to ensure our product range is the most advanced on the market.

From an aesthetic point of view, our interior design consultant seasonally adjusts our colour palette to complement interior décor styles from contemporary and minimalist through to classic, traditional and retro.

While no jobs are too large or too small, our team is vastly experienced in finding solutions to challenging commissions, commercial or domestic, meeting briefs both aesthetically and architecturally as well as within budget.

Management and staff in all facets of our business, New Zealand wide, support and contribute to our goal of 100 percent customer satisfaction, from design and manufacture through to delivery and installation.

We invite you to experience Window Treatments' style, service, innovation and inspiration. I offer you my personal guarantee of quality and satisfaction.

Graeme Rose Managing Director


Window Treatments NZ Ltd, founded in 1984, is one of the largest independent curtain, blind, shutter, awning, insect screen and louvre roof manufacturing company in New Zealand.

The company designs and manufactures market leading products both in our own Christchurch factory and overseas.

This ensures quality, continuity of supply and superior back-up service to meet the ever-growing demand in all of our markets.

Selling factory-direct makes our pricing very competitive.

We employ over 120 people nationwide in over 20 locations



Products


Window Treatments designs and manufactures a wide variety of quality products, with many styles guaranteed to suit any home. We can also create custom solutions to suit your individual needs.










































Locations/DirectoryPg 58

New Zealand Operation

Focused on customer service



Our experienced customer representatives are located as far afield as Invercargill in the south to Whangarei in the north.

Selected for their passion for interior décor and customer service skills, our team attends regular courses to keep them at the cutting edge of décor trends in curtains, blinds, shutters, awning and louvre roof technology.

They are fully conversant with the manufacture of the products they sell and can offer expert advice on all aspects of window treatments from style, form and fashion through to functionality.

Our customer representatives are committed to ensuring your complete satisfaction. They will come to your home or business and discuss your needs and objectives with you. They can advise on the selection of curtains, blinds, shutters, awnings, louvre roofs or insect screens that will fulfil these needs, as well as show you product samples which will allow you to select suitable colours, textures and fabrics.

Consultation is provided on a 'no obligation' and completely free basis, as is our measure and quote service.

Export Division

A stable local work force, in conjunction with our manufacturing management systems, ensures we have the ability to increase output at relatively short notice without compromising product quality. This ability to meet special high-volume commissions and tight customer deadlines which often applies to export orders is characteristic of the total commitment that our staff have to ensuring customer satisfaction.

You'll see our curtains, blinds, shutters, awnings and louvre roofs on your travels especially in Fiji, New Caledonia, Tahiti, Samoa, Cook Islands and The Maldives. All international enquiries are dealt with by our Head Office in Christchurch and consultants and installers are ready to travel throughout these regions as required.

Contact your nearest branch (refer to back page) or phone 0800 36 36 39 for further information or to arrange your free consultation.

Manufacturing, Paint & Joinery Divisions

Superior quality & consistency



Manufacturing

To ensure superior quality and consistency for our customers both in New Zealand and overseas, most Window Treatments' products are manufactured by our own fully trained and skilled staff in a high-tech factory in Christchurch.

In addition to the Christchurch factory, Window Treatments manufacture Louvre Roofs and Palladio Awnings in our new Auckland Factory at 14A Omega Street, Rosedale.

Much of the equipment used in the manufacture of our products has been specifically designed and built for the company - a fact that makes Window Treatments unique and well positioned to incorporate and commission new technology as required. This ensures production of our curtains, blinds, shutters, awnings, louvre roofs and insect screens is consistently flawless and efficient.

Paint & Joinery

Our highly specialised paint division employs the latest technology to achieve the high-quality finish you require for superior presentation of your home or business.

We offer a wide range of powder coated rail colours and an unlimited range of wet paint colours, creating virtually any colour or combination of colours for large run commercial production orders.

For those who appreciate the best, Window Treatments' Joinery Division employs specialist craftsmen to meet the continuing requirement for cedar shutters. Western Red Cedar is recognised as one of the most stable and durable timbers available.









Custom Made Curtains

Our luxurious custom-made curtain range includes floaty unlined sheers for ethereal elegance, and lined sheers and curtains for opaque, block-out and thermal properties. Curtains bring softness and sophistication to any décor. Our curtains are made in New Zealand with an almost unlimited range of high fashion, quality textiles and colours.







Curtains & Lined Sheers

Features of the Custom Made Curtains include:

- A choice of stylish curtain pleats and gathering types
- Extensive design & colour range of fabric options which include but are not limited to:
 - Sheer, unlined curtains
 - Lined sheer curtains
 - Thermal lined curtains
 - Block-out curtains
 - Fire retardant curtains
 - Noise dampening curtains
- Custom made curtaining for residential and commercial areas
- Multiple fabric combinations to effortlessly control room light & privacy
- Roman blinds to match any décor
- Expert interior advisors to guide you

- Smooth glided track system which can be hand drawn, cord drawn or motorised
- A tracking system that can be top, face or recessed mount
- Colour coordinated track & bracket covers
- Wide selection to create a personalised finish for your home
- Soft floating sheer over a block-out roller blind
- Dim-out a bedroom with block-out or block-out lined curtain
- Use double tracks with sheers to filter light during the day and a block-out curtain for night
- Your options are near limitless



For more Custom Made Curtains information, go to: www.window-treatments.co.nz/products/curtains-tracks/ and click on Custom Made Curtains or scan the QR code >

Custom Made Curtain Fabrics

Sheer Unlined Curtains

Sheer, unlined curtains diffuse light, creating a sophisticated, ethereal elegance. Visually light and dreamy they soften any space whilst filtering UV and protecting interior furnishings.





Our custom-made curtains are made in New Zealand by our skilled team who ensure flawless quality in a variety of headings or Roman blinds.

Enhance your home décor with:

- Soft floating sheer over a block-out roller blind
- Dim-out a bedroom with the addition of a block-out curtain or block-out lined sheer
- Use double tracks to have options to filter light during the day and another curtain for night

Our expert interior advisors will guide you every step of the way

Suitable for: Residential & Commercial Interiors

Available in: Cavalier, Coastal, Antipodes, Martinique, Pilbara, Southport, Easton and Sencha ranges



Cavalier Sheers 26 colourways



Coastal Sheers 8 colourways



Antipodes Sheers 12 colourways



Martinique Sheers 11 colourways



Pilbara Sheers 12 colourways



Southport Sheers 32 colourways



Easton Sheers 10 colourways



Sencha Sheers 9 colourways

MAX WIDTH 4000MM X MAX DROP 2800MM (MANUAL) 5000MM X MAX DROP 2800MM (MOTORISED)

(Larger sizes may be possible so please discuss your requirements with your sales representative)

For more technical Curtain information, go to: www.window-treatments.co.nz/technical-info

Custom Made Curtain Fabrics

Curtains (no lining required)

Self-lined block-out curtains are perfect for keeping rooms, especially bedrooms, dark. These elegant curtains assist a restful sleep and they are good insulators.

Room dimming fabric with thermal or triple weave as part of its construction does not need further lining fabric. Creating a beautiful wave drape with sophisticated solidity, dim-out and block-out curtains add depth to any room.

Our custom made curtains are made in New Zealand by our skilled team who ensure flawless quality in a variety of headings or unlined Roman blinds.

Enhance your interior décor with:

- A practical opaque
- A choice of stylish pleats and gatherings
- Dim-out or block-out with thermal control
- · Roman blinds to match any décor
- Combine with a sun-filtering roller blind
- Use double tracks to add sheer curtaining for day

Available in: Halifax and Cato ranges



Halifax Blockout 8 colourways



Cato 13 colourways

Curtains (requires a lining)

Block-out curtains are the perfect choice for keeping rooms, especially bedrooms, dark. These elegant curtains assist a restful sleep and they are good insulators.

Block-out fabrics are lined with your choice of lining to enhance the elegance of an opaque fabric, or transform a dreamy sheer into a customised layered curtain. Creating a beautiful wave drape with sophisticated solidity, blockout curtains add depth to any room.

Enhance your interior décor with:

- A sophisticated opaque
- A choice of stylish pleats and gatherings
- Blockout and thermal control
- · Roman blinds to match any décor
- · Combine with a sun-filtering roller blind
- Use double tracks to add sheer curtaining for day
- Your options are near limitless

Available in: Borneo and Motion ranges







Motion 23 colourways

Our custom made curtains are made in New Zealand by our skilled team who ensure flawless quality in a variety of headings or Roman blinds.

Suitable for: Residential &

Commercial Interiors

Suitable for: Residential &

Commercial Interiors

MAX WIDTH 4000MM X MAX DROP 2800MM (MANUAL) | 5000MM X MAX DROP 2800MM (MOTORISED)

(Larger sizes may be possible so please discuss your requirements with your sales representative)

Custom Made Curtain Fabrics

Linings

Linings add weight and fullness to the appearance of your curtains. They can be used with any sheer fabric, transforming them into a layered opaque curtain. Using lining with any solid fabric produces a quality weighted curtain.

Linings create the protective layer that faces the window and is seen from outside when the curtains are drawn

Benefits of lined curtains:

- Prolong the life of your curtains
- Protect your furnishings
- Provide thermal benefits to your home, keeping it warmer in winter and cooler in summer.

Available in: Satinline, Twilight and Simplicity ranges



Satinline 3 Pass Blockout Flock Coated lining in Ivory only

Satinline is a polyester base lining fabric which has had 3 passes of flock coating applied.

The combination of the polyester base fabric and the flock coating has created a soft draping wide width blockout lining, suitable to enhance curtain and Roman blind main fabrics.

Suitable for: Curtains and

Roman blinds



Twilight Triple Weave lining

Twilight Triple Weave lining is a hi-tech, 100% polyester and fire-retardant fabric with woven in dim-out properties.

The individual 15 colourways to choose from are also colour tonal front to back of the fabric.

- No need for a further thermal application to the
- Washable, providing the face fabric is also washable
- Anti-fungal and mould resistant
- Fire retardant

Curtains Suitable for:



Simplicity Silicone 320cm lining

With durability and style in mind, Simplicity silicone lining is a 100% polyester fabric base with 4-pass coating of silicone application.

- Wipeable and machine washable (providing face fabric is also machine washable)
- 23 fashion colourways
- Light blockout
- Fire retardant and noise reducing with thermal benefits.

Suitable for: Curtains and

Roman blinds


Custom Made Curtain Headings



Single Pleat

A contemporary modern style, the Single pleat is customised to bring the face of the fabric forward within a single tailored pleat.

- Pleats are evenly placed between 100mm-120mm apart with 100mm depth buckram stiffening
- Fabric fullness is 1.85 x track width
- Curtain attached with innovative Microflex hook



Double Pleat

A classic heading style, also known as the Dutch Pleat.

- Pleats placed evenly between 100mm-120mm apart with a bar tack stitch approximately 20mm from the bottom of pleat
- 100mm depth buckram (stiffening insert)
- Fabric fullness is 2.0 x track
- Curtain attached with innovative Microflex hook



Inverted Pleat

A sleek modern heading style also known as Reversed Pleat with the customised flat plain stitching facing toward the back of the curtain.

- Pleats are evenly placed between 100mm-120mm apart
- Pleats pressed flat and stitched down the centre to the full depth of the buckram (stiffening insert)
- Fabric fullness is 1.85 x track width
- Curtain attached with metal pin hook



Pencil Pleat (Gathered Heading)

A traditional heading with a manually gather at installation time.

- A 50mm or 75mm depth heading tape is sewn to the rear of the curtain
- Flat sewing tape in parallel with stitching lines across the length of the tape to the curtain fabric
- Fabric fullness is 2.0 x track width
- Curtain attached with standard plastic hook



S - Fold Wave Pleat

A minimalist style, incorporating a gentle wave heading which glides below the track for a seamless flow.

- A nylon clear heading tape is applied to the top of the curtain, with the depth of the tape being 75mm
- Fabric fullness is 1.85 x track
- Curtain attached to the track with standard plastic hook



New York Pleat

An elegant modern styled heading bringing together the pleat of the Inverted heading and the softness of the Wave Pleat

- Pleats are evenly placed between 100mm-120mm apart
- A pleat pinch is 10mm deep and face the rear of the curtain
- 100mm depth buckram stiffening insert
- Fabric fullness is 1.85 x track width
- Curtain attached with a curtain pin hook to hold the soft front facing wave effect in place

Mystique - a curtain & blind in one

A hybrid of a curtain and blind, Mystique® offers block out and light filtering in one. The perfect application for French or sliding doors. A soft and textured decorative alternative to a curtain or sheer whilst having the unique advantage of being able to control the amount of light coming into the room.





- Proudly NZ made by Window Treatments NZ Ltd
- A wide range of fabrics available
- · Mystique is available with two control options, Manual or Motorised.
- 3 Year Warranty

Manual:

- Manufactured with a premium head rail tracking system from Louvolite United Kingdom
- Control by a continuous chain loop for rotation and a continuous pull cord for traversing. Note: It is normal for the head rail system to emit a mechanical sound during traversing and rotation of Mystique®
- Mystique to be drawn to either side or with a centre
- Headrail colour options: White, Black and Anodised/ Grev

Motorised:

- System manufactured exclusively by Window Treatments NZ Ltd
- German designed Trietex German motor (240v). The motor has 2 gears which automatically reverts from rotating to traversing
- Control of rotation and traversing is via a remote or through a building management system. Note: It is normal for the head rail system to emit a mechanical sound during traversing and altering the angle of Mvstique®
- Headrail colour options: White, Black and Anodised/
- For new builds, Window Treatments can supply a ceiling recess aluminium profile to fully conceal the headrail within the ceiling cavity

For more technical Mystique information, go to: www.window-treatments.co.nz/technical-info and click on SectionO4-Mystique or scan the QR code >






Interiors









MAX WIDTH 4000MM X MAX DROP 2800MM (MANUAL) | 5000MM X MAX DROP 2800MM (MOTORISED)

(Larger sizes may be possible so please discuss your requirements with your sales representative)

Ready Made Curtains & Tracks

Exclusive to Window Treatments NZ Ltd, affordable, high quality Ready Made Textra Curtains and extendable Tracks, are now available on a self-install basis.



The Textra range in two standard sizes are classic, fully lined 100% Polyester curtains, carefully curated in a palette of contemporary colours to suit every interior design preference. The curtain headings are in timeless Pencil Pleat which ensures both elegant draping and flexibility in width adjustment. (For a small extra cost, the standard size curtains can be re-hemmed to your requirements).

Features of the Textra range include:

- Linen-look, hard-wearing 100% Polyester
- Fully lined with an acrylic backed fabric
- Durable and strong
- Fade resistant
- Mould resistant and antibacterial
- A good insulator

Available in 6 colourways



Fast, free delivery nationwide

Standard size (customer to install):

10 Days

Re-hemmed to Size (customer to install): 15 Days

For more technical Ready Made Curtains information, go to: www.windowtreatments.co.nz/technical-info and click on Section 04c -Ready Made Curtains or scan the QR code >



Standard curtain Widths (as a pair)

There are two standard curtain pair widths, 210cm & 280cm.

The two standard widths refer to the approximate width of the combined width of the pair, after you have pulled the strings on the headers to achieve the desired gather.

If you wish to have the stacking of the curtain away from the opening so that your view is not blocked, please ask your sales consultant to make sure to allow extra width so that the track and curtains can stack past the sides of the window frame. This is also a very good practice for aesthetics and to help keep your home warm in the winter and to ensure privacy at night.

To allow the stacking of the curtains past the window frames, we add 50cm-60cm for every 200cm of width. For example, if the opening from one side to the other side of the window frame is 200cm wide, we suggest the width of your curtain and track is approximately 250cm -260cm.

Standard curtain Drop


Our standard curtain Drop (height) is 220cm. This is the finished height from the very top to the very bottom of the curtain. Curtain tracks can be installed onto the window frame or more commonly, installed above the window frame onto the wall. This means that unless you particularly wanted to adjust the height of the curtain, the position of the curtain track will always be approximately 220cm from the floor/carpet/tiles etc.

Finished length/drop is 220cm Up to 210cm width coverage



approximately

210cm width pair





Curtain Tracks only

Tracks can be ordered with or without curtains. If curtains are ordered at the same time, the tracks and associated parts will be supplied together with the curtains. Our track prices include all associated parts such as glides, hooks, brackets, screws and wall plugs.

Features of the Aluminium extendable tracks include:

- High quality extendable aluminium profile
- Corrosion resistant
- Quality wheeled runner glides providing smooth, effortless drawing to the side
- Two standard sized extendable white curtain tracks



120cm

Extendable up to 210cm.

White only, comes with 3 brackets, 25 glides, screws & wall plugs.

200cm


Extendable up to 310cm.

White only, comes with 4 brackets, 36 glides, screws & wall plugs.



Roman Blinds

Roman Blinds from Window Treatments provide stylish sophistication, beautiful fabric selection and innovative control systems



- Beautiful luxurious fabrics
- Lined in a range of thermal/block out lining
- Folds with spines for stability
- Custom made with a Revolution headrail which takes away the need for a pull cord
- Glass/Wall facing side, the Revolution headrail and brackets are white coloured
- Fabric covered caps applied to the headrail ends, with face mounted installation
- Operate with either a continuous chain loop control or upgrade to a battery motor with remote
- When specified with a continuous chain control, a safety chain tidy is provided

- Two convenient control options available:
 - Revolution Headrail with Continuous Chain Loop Control: Our new standard control option. A Roman blind operated with a continuous chain loop at the side of the blind. The continuous chain allows you to raise and lower the Roman blind at any preferred drop.
 - Motorised: Roman blinds are installed with a concealed battery motor and controlled by remote control. The rechargeable battery pack to operate the motor is surface mounted, around or within, the window opening and is charged with ease by a plug-in charging cord.

For more Roman Blinds information, go to: www.window-treatments.co.nz/products/ roman_blinds/ or scan the QR code >





Interiors



MIN WIDTH 350MM | MAX WIDTH 2900MM | MIN DROP 600MM | MAX DROP 2800MM (MAX AREA OF 6.5M2) (Subject to the selected control system and fabric selection)

Recess Flush Box Overview

Made from a combination of extruded aluminium and folded aluminium sheet, this sleek modular system allows single or double motorised blinds and curtains to be concealed completely within the ceiling space.

For Roller Blinds. a removable bottom cover leaves only a small slit visible which the blind lowers from and retracts into.







Modular Double Recess Flush Box

Features of the Recess Flush Boxes:


- Modular recess flush box for single and double motorised roller blinds, curtain tracks and headings
- Standard 4.2m long recess flush box can be shortened or lengthened to custom size
- Standard width and height recess flush box, 4.2m long profile made from nominal 2mm gauge extruded aluminium
- Option for a "Part Recess" Flush Box (single and double)
- Non standard recess flush box sizes can be supplied when construction/design limitations exist. P.O.A
- A removable extruded aluminium bottom cover concealing the blind within (Curtain tracks and headings do not have a bottom cover)
- Bottom recess cover can be connected either at the front or the back internal edge of the recess flush box


- The sides of the recess flush box can be either flangeless for negative detail, or flanged to provide a tidy cover of the ceiling gib/plaster edge
- Additional recess flush box aluminium end cap covers supplied as standard flangeless, or you can choose a flanged end cap cover
- Mill /Raw finish, Standard Powder Coated (SPC) black or white, or Custom Powder Coated (CPC)
- Option for LED strip lighting to be fitted inside the recess flush box
- Available for collection at Window Treatments Auckland, Hamilton, Wellington, Nelson, Christchurch, Duunedin and Cromwell.
- PDF and DWG downloads available

For more Recess Box information, go to: www.window-treatments.co.nz/products/ recessed-blind-box/ or scan the QR code >




Recess Flush Box Configuration Options for Single Roller Blinds






1 Side Flange B-SB1SF



Single Box **No Side Flanges** C-SBOSF



Single Part Box 1 Side Flange SPB1SF

Part box option allows the builder and architect some flexibility of box dimensions for unique applications. Contact Window Treatments for more information.




End Cap (EC) with or without End Flange (EF)


NOTE ON SINGLE OR DOUBLE RECESS FLUSH **BOXES:** Recess Flush Box available in Raw/ Mill finish or Standard Powder Coated (SPC) black or white, or Custom Powder Coated (CPC). Installation of Recess Box by the Construction Company. Installation of Blinds and Bottom Cover by Window Treatments NZ Ltd.

Recess Code	Box Width (excluding side flange)	Box Height	Profile Lengths	Maximum Blind Drop	Reversible Bottom Cover Y/N	End Caps (EC)	End Caps With Flanges (EF)
A-SB2SF	125mm	120mm	4200mm	3500mm	Υ	Optional	Optional
B-SB1SF	125mm	120mm	4200mm	3500mm	Υ	Optional	Optional
C-SB0SF	125mm	120mm	4200mm	3500mm	Υ	Optional	Optional
SPB1SF	(variable)	(variable)	4200mm	N/A	N/A	Optional	Optional


Recess Flush Box Configuration Options for Double Roller Blinds




Double Box 2 Side Flanges A-DB2SF




Double Box 1 Side Flange B-DB1SF




Double Box No Side Flanges C-DB0SF




Double Box 2 Side Flanges D-DB2SF




Double Box 1 Side Flange E-DB1SF




Double Box No Side Flanges F-DB0SF



Double Box 2 x singles side by side. 2 Side Flanges G-DBSS2SF



Double Part Box 2 Side Flanges DPB2SF



End Cap (EC) with or without End Flange (EF)

Part box option allows the builder and architect some flexibility of box dimensions for unique applications. Contact Window Treatments for more information.

Recess Code	Box Width (excluding side flange)	Box Height	Profile Lengths	Maximum Blind Drop	Reversible Bottom Cover Y/N	End Caps (EC)	End Caps With Flanges (EF)
A-DB 2SF	150mm	160mm	4200mm	2800mm	Υ	Optional	Optional
B-DB1SF	150mm	160mm	4200mm	2800mm	Υ	Optional	Optional
C-DB0SF	150mm	160mm	4200mm	2800mm	Υ	Optional	Optional
D-DB2SF	234mm	120mm	4200mm	3500mm	Y	Optional	Optional
E-DB1SF	234mm	120mm	4200mm	3500mm	Υ	Optional	Optional
F-DB0SF	234mm	120mm	4200mm	3500mm	Υ	Optional	Optional
G-DBSS2SF	250mm	120mm	4200mm	3500mm	Υ	Optional	Optional
DPB2SF	(variable)	(variable)	4200mm	N/A	N/A	Optional	Optional

Roller Blinds



For a stylish, contemporary finish to your home or business opt for the simple elegance of Roller blinds. Roller blinds have always been popular because of their clever continuous chain loop control system enabling easy and precise upward and downward adjustment. They also have a reputation for understated sophistication, but the continuing upsurge in popularity of Roller blinds can be fairly attributed to the breakthrough technology in the fabric component and most recently in automation systems.

Roller blinds can now be made in contemporary textured weaves, smooth minimalist plains, translucent, screen, opaque or blockout fabrics. All of the fabrics we use have superior solar protection and excellent insulating properties.

We have solutions for customers who require exceptionally wide or tall blinds both interior and exterior Securo® (see page 25 - 29), to cover extensive glass panels and also perfected double roller and linked systems.

An alternative to the Securo® system is our Blocco system (see page 36) which has side channels and a full cassette covering the head rail. This system is ideal when maximum light reduction is required.

For very tall roller blinds which are prone to tracking, we recommend the installation of wire guides to control this issue. In particular, for roller blinds which exceed drops of 3500mm wire guides should be fitted as standard.





Roller Blind Features



- Proudly NZ made by Window Treatments NZ Ltd
- · Huge range of Light filtering, Screen & Blockout Fabrics in many colours & textures (including Fire retardant options)
- Light & glare control
- · Solar protection
- Easy to clean (refer to inside back cover)
- Rigid 50mm dia Aluminium tube provides less tube deflection and fabric distortion
- Smaller light gap above 50mm dia tube and the window frame
- Continuous chain control for precise manual
- · Easy and precise upward and downward adjustment
- RollEase® hardware component system
- Geared Rollease Galaxy G200 controller option for effortless, smooth operation for larger blinds
- Unique fabric fastening system of the fabric to the tubes and bottom rails with Securo® locking spline - no glue or double sided tape
- · Optional fascia system
- Single or Double Roller Blind configurations
- Multi-Blinds (linked in series) configuration
- · Rectangle or Elliptical bottom rail
- Wire guide option for blinds with large drops
- Side channel guide (Blocco®) option to maximise light reduction
- Full headrail Cassette option
- Motorisation available. Automation interfaced to Building Management System (BMS). Option to control motorised blinds with your smart phone, solar sensors etc. (see page 47-49 for all options) All motors are covered with a 5 year warranty
- 3 Year Warranty on blind fabric and hardware





For more technical Roller Blind information, go to: www.window-treatments.co.nz/technical-info/ and click on Section02-RollerBlinds or scan the QR code >








Roller Blind Options

Single & Double Rollers, Sunscreen, **Block-out & Light filtering**

When privacy & light filtering is required

For internal darkening Window Treatments provides a range of block-out and room darkening fabrics, some with a textured finish and others with foam or white acrylic backing. These fabrics are ideally suited for computer rooms, offices, home theatre, bedrooms, hotel rooms and hospitals as they prevent glare and provide block-out when required.

Light filtering or sunscreen fabrics are ideal when used on double rollers in conjunction with block-out fabrics. Light filtering fabrics provide less openness than sunscreen fabrics when more privacy is required. Usually the blockout blind is positioned behind the light filtering blind to ensure optimum light and privacy control.



Most of our block-out fabrics are PVC free and all are resistant to mould and fungi, making block-out blinds ideal for installations in bathrooms or any areas of high humidity and moisture.

For ease of maintenance

Block-out fabrics are remarkably easy to maintain. Soapy water and a sponge or soft brush is enough. They can also be professionally cleaned by contacting either Mr Sparkel or the Blind Care Company (our subsidiary cleaning companies). Refer to the directory for contact details.









Roller Blind Fabrics - Sunscreen

Window Treatments has a huge range of fabric types, colours and a variety of subtle weaving and textural accents to choose from. Our customer representatives can assist you in selecting the perfect colour tone, temperature and texture to enhance your home or office décor.

Sunscreen - Techno POLYESTER

Our classic style Techno range is very cost effective and works well in both commercial and domestic situations. Techno Screen is dimensionally stable and is available in a wide range of colours with openness factors.

Techno 2000 22 | Techno 5000 22 | Techno 10,000 22

Composition

33% Polyester

30% Polyester

67% PVC 30% Polyester

70% PVC

70% PVČ

- · basket weave
- · clear view
- · stylish colours
- · economical widths
- · optimal transparency
- fire retardant

Product

Techno 2000

Techno 5000

Techno 10000



Techno 2000 22

Techno 5000 22

4	The T	ech	10	N
Р	olyest	er ra	nge	١
(is ver	у сс	st	
Т	effe	ctive	e /	

Fire Retardant Op

Yes


Yes

Yes





2% 5% 10%



Linen Sand Extra White

1	



PLEASE NOTE: Colours shown are indicative only. Opo Grey Fabric samples are available on request.

Roller Blind Fabrics - Block out

Block out Roller blind fabrics are perfect for areas that require insulation, privacy, light control and or just to enhance the room décor. Window Treatments range of Block out Roller blind fabrics is extensive with many different textures and colours available. Fire retardant is also available for the more specialised fabrics which are often required for commercial environments. All block out fabrics are PVC free with weights ranging from 280gsm to 430gsm, and thickness from 0.30mm up to 0.72mm.

Gala

Gala is a subtle and elegantly textured block out fabric available in a range of colours. Add sophistication to any domestic decor with ease. It has a high colour fastness to light and comes with a five year warranty.



Jersey

Delicate yarns intricately woven, inspired by more traditional textile design methods. Simple yet sophisticated, the Jersey colour palette complements a broad spectrum of decors and interior spaces. Fabric is fade, mould and mildew resistant.





Cardrona

Cardrona is a blockout fabric sporting a very unique 100% textured finish it is ideal for domestic applications and comes with a three year warranty. Colour Fastness to light Grade 5, Acrylic Foam Coating, white coloured backing.



New Valencia

New Valencia is a cost effective and versatile blockout fabric. Available in a modern range of colours it will enhance any decor. It is resistant to mould and fungi, making it an ideal fabric choice in areas of high humidity and moisture. It has a high colour fastness to light (Grade 6 / Xenon Arc Method) and comes with a three year warranty



Serengetti

The renaissance of the Serengeti Collection has arrived in spectacular fashion. The number one premium jacquard on the market. The Jacquard weave design has a stunning three dimensional feel and appearance.

The Serengetti collection has an ivory coloured backing, a 5 year fabric warranty, is PVC free and highly fade resistant.



New Valencia FR

New Valencia FR is a versatile Fire Resistant blockout fabric. Available in a modern range of colours it will enhance any decor. Made from Polyester (PVC free) it is resistant to mould and fungi, making it an ideal fabric choice in areas of high humidity and moisture. It has a high colour fastness to light (Grade 6 / Xenon Arc Method) and comes with a three year warranty



New Oxford

New Oxford is an economical and versatile blockout fabric. Available in a modern range of colours it will enhance any decor. It is resistant to mould and fungi, making it an ideal fabric choice in areas of high humidity and moisture. It has a high colour fastness to light (Grade 7 / Blue Wool Scale) and comes with a three year warranty.



Balmoral

The Balmoral fabric collection offers the complete styling solution with pure elegance and premium design aesthetic for your interior. Constructed with an intricate weave which adds more depth and texture to design. Available in a variety of colours which are fade. mould and mildew resistant. Fire Retardant. Five year warranty.



New Oxford FR

New Oxford FR is a Fire Retardant blockout fabric. Available in a modern range of colours it will enhance any decor. Made from Polyester (PVC free) it is resistant to mould and fungi, making it an ideal fabric choice in areas of high humidity and moisture. It has a high colour fastness to light (Grade 7 / Blue Wool Scale) and comes with a three year warranty.



Waterfall

Waterfall is a refined design with a streaming vertical pattern, completed with a matching colour coating on the back. This combination of features ensures Waterfall will be perfect for any interior, and highly desirable where a colour other than white is required on the outside facade of the building. The fabric comes with a five year warranty.



Roller Blind Fabrics - Commercial



Alu-Tech S2 (Aluminium)

Enduring Environmental & Solar Protection

Sourced from a leading Netherlands producer, Alu-Tech S2 is PVC free, high performance sun shade fabric. It is most commonly used in commercial projects providing higher level control of heat, glare and light whilst maintaining the view from inside to outside.

Alu-Tech S2 has an Aluminium backing providing superior performance in regards to heat and glare. Alu-Tech S2 fabrics are rated to the European Fire Standard B1 which is the highest fire rating for textiles in Europe. The fabric has achieved a Bronze certification from Cradle to Cradle Products Program which relates to material health (Banned list compliant). For more information on Cradle to Cradle click on www.c2ccertified.org

- 3% Openness
- PVC free
- FR to European Standard B1
- Fade resistant
- High performance
- Available in 7 colours
- Fabrics are listed on Masterspec Section 5531W
- · Alu-Tech S2 in 2400mm wide
- Fabrics are guaranteed for 5 years





PLEASE NOTE: Colours shown are indicative only. Fabric samples are available on request.

Enviroshade & Enviroshade Aluminium

Enduring Environmental & Solar Protection

Enviroshade is a Trevira-CS (PVC free) window shading fabric providing natural control of light, heat and glare, with a view. It has been meticulously tested to meet international standards for green and fire retardant fabrics. Enviroshade is energy efficient and cuts down on greenhouse emissions.

This European designed and manufactured range of roller fabric performs beautifully in both home and office spaces and is guaranteed for 5 years.

For more information visit the "Blinds" category at www.envirospec.co.nz

- Enviroshade is a 100% Trevira CS Fabric
- · Permanently flame retardant
- PVC free
- UV ray reduction
- Fade resistant
- Available in 5 colours
- Fabric guaranteed for 5 years







Enviroshade Aluminium has the same qualities and features of Enviroshade, but with the added feature of an aluminium backing. This special backing greatly enhances the fabric's ability to reflect heat and light and is especially suited for the commercial environment.



Roller Blind Fabric Fastening System

Exclusive to Window Treatments NZ Ltd

As domestic and commercial architectural styles advance and the use of modern high-tech materials are introduced, the resulting window coverings must progress as well.

To complement and enhance contemporary design, Window Treatments has explored roller blind mechanisms and introduced the world-renowned 'RollEase®' hardware system to meet market demands.

To cater for the trend in extensive panel glazing the 'RollEase® Skyline system and Galaxy systems provide exceptional operational control for all blind sizes.

For situations where large or a multiple panel of blinds are required to be operated with one control system, we recommend the geared Rollease Galaxy G200 controller. Both systems operate with two tube size options which are dictated by the width and drop of the blind. This means that Window Treatments can install sophisticated roller blind systems to extra tall, wide or multi panel glazing without compromising operation.

Our Roller blinds all have variable stopping positions for quiet, positive locks and our Galaxy G200 controller also makes the operation of larger blinds smooth and simple.

Standard roller blind installation has fabric rolling behind the tube (back roll) and close to the window for an optimum fit, minimal gaps, greater insulation and light control. However reverse rolling (front roll) can be ordered and is a simple solution to give clearance over window or door handles. Foam fabrics which have attractive texture and excellent insulation properties are front rolled as standard in order to conceal their white backing.


Our easy to use double roller system has proved a popular and fashionable solution for customers who require either a solar screen or light filtering fabric for day and a block-out fabric for night. Left or right chain operation with or without cord tidys are available in all our Roller blind products. Cords can be ordered in different lengths for those out of reach windows. All roller blinds have the option of

motorisation, see pages 51 - 53 for motorisation options.

Fabric Fastening System

Fabric Fastening System: Window Treatments has developed a unique method of attaching the fabric of a roller blind to the head rail tube and bottom rail. Gone are the days of stitching and double sided tape! The new exclusive system involves welding a Securo® locking spline onto the fabric using a high impulse electric welding machine. The fabric is then guided into the rails through a specially formed Securo® locking groove. This system greatly enhances the finish of the blinds and eliminates the risk of the fabric pulling away from the rail due to deterioration of the sewing thread or breakdown of double sided tape. Window Treatments offers two distinct aluminium Bottom Rail profiles: 27mm x 16mm rectangular and a 30mm x 16mm elliptical. Both bottom rail profiles utilise the unique fabric fastening system and are available in a range of eight fashionable colours or a custom colour of your choice.

Fabric Fastening System: Head Rails & Bottom Rails



27mm x 16mm rectangular Bottom Rail with end cap - without end cap



30mm x 16mm elliptical Bottom Rail without with end cap -



Wire Guides: Wire guides can be used to restrict movement of the blind where windows are left open or for incline windows (with a maximum of 20° incline from vertical). Wire guides are recommended for blinds that exceed 3500mm in drop.



Roller Blind Rollease® Control Systems

Skyline SL15

Suitable for small to medium size blinds, available with an option of 'Spring Assist' to aid in the operation of blinds.



Skyline SL20

Suitable for medium to large size blinds. Available with an option of 'Spring Assist' to aid in the operation of blinds



Galaxy G200

Suitable for medium to large size blinds.



For 'face fix' blinds our attractive bracket cover conceals the control and pin end components.



Multi Blind

Controls multiple blind panels with one control system, also minimises the gap between blind panels.



Double Roller Systems

Double Compact Bracket




End cover for Face fixed

Note: two single brackets (offset from each other) can also be used to achieve a double roller system.

Light gaps

from the width of the window opening to allow space for the brackets. controller mechanisms, 24mm fabric and operating chain. Window



Treatments deductions (see pictures - left) are designed to achieve the smallest light gaps possible between the edge of the fabric and the sides of the window frame. To minimise the light gap between the top of the tube and the window frame, Window Treatments manufactures roller blinds with a 50mm dia top tube. The 50mm dia Aluminium tube also provides less tube deflection and fabric distortion. If no light gaps are a requirement, we recommend considering our Blocco Roller Blinds or Securo Blinds. Both of these systems are manufactured side channels which remove almost all light gaps.

For further detail on light gaps and more technical Roller Blinds information, go to: www.window-treatments.co.nz/technical-info/ and click on Section02 -Roller Blinds

Roll Direction






Back Roll

Front Roll


Fascia

For single roller blinds, fascias are available with a square no-notch fascia for improved appearance and reduction in light gaps. Double Roller blinds are also available with a square fascia system. All fascia systems can accommodate either manual or motorised options.





Double Roller: Square



Blocco Roller Blinds

Our Blocco Roller System eliminates almost all light gaps on both sides and headrail of a roller blind.

This is achieved with a head cassette containing the roller mechanism and side channels to minimise light entering the room. The finished system is refined, compact and aesthetically very pleasing, but most of all provides a complete solution where room darkening is required.

The system can be operated manually by a control chain or motorised with remote control or via a building management system. Blocco is constructed with our standard Acmeda® controllers. The cassette, side channels and bottom rail are available in black, white or anodised with other special powder coated colours on request.

Blocco Roller System is the perfect solution when maximum light reduction is required in commercial environments such as schools, hotels, hospitals and residential applications such as home theatre rooms and bedrooms.

- Proudly NZ made by Window Treatments NZ Ltd
- Maximum light reduction design
- Fully enclosed cassette and side channels
- Funnel side guides with brushes which encapsulate fabric
- Chain (manual) control or motorised control with remote or wall switch
- Brush under bottom rail to limit light intrusion
- 3 Year Warranty


For more technical Blocco Roller Blind information, go to: www.window-treatments.co.nz/technical-info/ and click on Section03-BloccoBlinds or scan the QR code >







27mm



Suitable for



Interiors

| MAX WIDTH 3000MM X MAX DROP 3000MM (PER SINGLE CASSETTE - MANUAL & MOTORISED) | (Depending on Fabric choice, Note total area (width x drop) cannot exceed 6.5m²)

Securo® Blinds



Securo® Exterior Blinds are ideal for providing shelter from the elements, (wind, rain, sun & heat) for outdoor entertaining areas such as around your deck or BBQ, or creating shelter to your cafe where wind and rain limit entertaining/seating areas for your customers.

Securo blinds are also suitable for interior applications when maximum light reduction is required in areas such as a board room, seminar room, hotel room, bedroom, home theatre, commercial building or hospital.

The key to this innovative Securo® range is how the fabric is locked into the side channels. The method used is the same used for Window Treatments' standard roller blinds but for Securo®, a locking spline is welded to all four sides of the fabric using a high impulse electric welding machine. The fabric is then guided into the head, bottom and side rails through a specially formed locking groove.



Securo® Blinds





- · Proudly NZ made by Window Treatments NZ Ltd
- · Manual and Motorised options (refer to your sales consultant for more *information*)
- · Motorised control by either remote control or connected to a building management system
- Exterior entertaining and commercial areas such as, deck, BBQ, or café
- Ideal for interior applications when maximum light reduction is required in areas such as a board room, seminar room, hotel room, bedroom, home theatre, commercial building or hospital
- Securos should be retracted when winds exceed 65km/hr
- · Insect control
- Exterior fabric options include: Techno X Screen, Clear PVC
- Interior fabric options include Techno X Screen, Phifer Fibre Glass Patio Screen, all of Roller blind block-out, sun-filter and screen fabric ranges
- · We recommend before Securos are rolled up the fabric is allowed to dry.
- · Channel guides or wire guides
- 3 Year Warranty

For more technical Securo information, go to: www.window-treatments.co.nz/technical-info and click on Section11-Securo or scan the QR code >











MAX WIDTH 5.1M X MAX DROP 3M (TECHNO X) MAX WIDTH 4.0M X MAX DROP 3M (CLEAR PVC)





Interiors

Securo® Max

Light filtering or maximum light reduction (interior or exterior)



Securo®Max is a revolutionary addition to the market. Italian designed, Securo®Max is the solution for extra wide interior or exterior roller blinds and is a perfect solution for creating shelter to your café or outdoor areas where wind and rain limit entertaining/seating areas for your customers.

Securo® Max is manufactured with the same fabric locking system as standard Securos. A locking spline is welded to all four sides of the fabric using a high impulse electric welding machine. The fabric is then guided into the head, bottom and side rails through a specially formed locking groove.

Securo®Max can be linked to a building management system, remote controlled and/or with wall switches.

- Proudly NZ made by Window Treatments NZ Ltd
- Motorised control only with either remote control or connected to your building management system
- A perfect solution for creating shelter to your outdoor café entertaining areas or around your deck or BBQ.
- Securo can be manufactured up to 10m wide and up to 3m drop
- Securo Max less than 5.1mtr wide should be retracted when winds exceed 65km/hr, wider than 5.1mtr the blind should be retracted when winds exceed 35km/hr
- Channel guides or wire guides
- Fabric: Techno X Screen. Note: Clear PVC fabric is not suitable for Securo Max
- We recommend before Securos are rolled up, the fabric is allowed to dry.
- Fully enclosed aluminium cassette box
- 3 Year Warranty

For more technical Securo information, go to: www.window-treatments.co.nz/technical-info and click on Section11-Securo or scan the QR code >









SECURO MAX - MAX WIDTH 10M X MAX DROP 3M

Securo® Pull Down Blinds

Convenience and simplicity of use

Securo® Pull Down Blinds are designed for small to medium sized interior and exterior windows and doors providing solutions for Insect control, complete block-out, glare control and protection from wind and rain.

The key to this innovative robust interior & exterior roller blind is how the fabric is locked (Securo®) into the roller tube within the aluminium cassette housing, bottom rail and side channel guides. The same method is used for Roller Blinds but for Securo Pull Down a locking spline is welded to all four sides of the fabric using a high impulse electric welding machine. The fabric is guided into the head and bottom rails and side channels through a specially formed locking groove.

- Proudly NZ made by Window Treatments NZ Ltd
- · Ideal for small to medium windows and doors in your home, office, motel or hotel
- Interior Fabrics: Phiferglass Pool & Patio Mesh, Techno X, Soltis 88, Standard Roller blind ranges of Blockout, light filtering and screen fabrics. Exterior Fabrics: Phiferglass Pool & Patio Mesh, Techno X & Soltis 88, Not suitable for clear PVC fabric
- · Manual operation
- Top Fix or Face fix
- Discrete side channels 38mm x 28mm
- · Easily operated manually by raising and lowering the blind using the handle or pull cord located on the bottom rail
- Fabric permanently tensioned via a spring inserted in the top tube
- Able to be locked into the down position by simply tilting the bottom rail
- Slim fully enclosed cassette housing options -60mm x 60mm or 80mm x 80mm
- Aluminium housing system and side channels available in the following colours: White, Ivory, Chinchilla, Silver Pearl, Bronze, Anthricite, Black or Anodised
- 3 Year Warranty

For more technical Securo Pull Down Blinds information, go to: www.window-treatments.co.nz/technical-info and click on Section11-Securo or scan the QR code >



Suitable for



Interiors



Exteriors








MAX WIDTH 2400MM X MAX DROP 2000MM (60MM HOUSING SYSTEM) MAX WIDTH 2700MM X MAX DROP 2550MM (80MM HOUSING SYSTEM) (Subject to fabric selection)

Securo® Side Roll





Mesh locked into track to resist high wind mesh blowouts.

Securo® Side Roll finally resolves the problem of achieving light control and insect control whilst providing easy access through sliding and French doors. The solution utilises the Securo® fabric locking system with a spring loaded cassette/head box roller blind but instead of rolling from the top to the bottom, it rolls from side to side.

The system has the added benefit of an "easy to use" brake so that the blind can be opened to any desired position. The brake handle is positioned on the sliding stile at normal door handle height.



Unique patented braking lock system.

- Proudly NZ made by Window Treatments NZ Ltd
- Interior Fabrics: Phiferglass Pool & Patio Mesh Exterior Fabrics: Phiferglass Pool & Patio Mesh
- Unique mesh-to-track retention system which prevents sagging and stops mesh blow-outs
- Face Fix (recommended) or Top Fix option available
- Available in a variety of finishes including powder-coated and anodised aluminium, white or black coloured end-caps and brake
- · Can be retrofitted to all makes of doors
- Easily maintained with a regular vacuum of the floor channel and dusting of the screen material
- Durable construction
- 3 Year Warranty

For more technical Securo information, go to: www.window-treatments.co.nz/technical-info and click on Section11-Securo or scan the QR code >



Suitable for



Interiors



Exteriors

MAX WIDTH 4000MM (SINGLE SCREEEN) MAX WIDTH 8000MM (DOUBLE SCREEN)

Café Blinds

A robust exterior solution

Café Blinds are an external roller blind ideally suited to provide shelter from wind and rain to cafés or outdoor areas.

Café Blinds are a cost-effective alternative to Securos mainly because they are installed without Head Rail Cassettes, side wires or side Channels however for extra strength they are manufactured standard with a 50mm reinforcing strip to both sides of the fabric.

When lowered the bottom rail is connected to strong ground anchors which can be released when the blind is raised and, in addition, Café Blinds can also be installed if required with a draft strip attached to the underside of the bottom rail.

- Proudly NZ made by Window Treatments NZ Ltd
- · Suited to all out door areas and cafés where shelter from wind and rain is required
- Fabric: Clear PVC, Techno X screen and Awning fabrics
- · Simple and robust heavy duty system
- · Operated manually by crank control or motorised and controlled by a remote or a hardwired switch
- Heavy duty cast aluminium universal face/top mounting brackets (Gun Metal or Perla)
- Heavy duty aluminium bottom rail with Gun Metal or Perla end caps
- Recommended for winds up to 65km/
- Various component & carabiner options to connect the bottom rail to the ground
- Option to include a draft strip (approximately 200mm drop by the width of the blind) fitted to the underside of the bottom rail. The draft strip covers the component space taken to anchor the bottom rail to the ground fixing points
- · We recommend before Cafe Blinds are rolled up, the fabric is allowed to dry.
- · 3 Year Warranty

For more technical Cafe blind information, go to: www.window-treatments.co.nz/technical-info and click on Section12-CafeBlind or scan the QR code >







Heavy Duty Mounting Bracket, Reinforcing strip



Ground Mounting Stainless Steel Carabiner



Draught strip



Face Mounting Aluminium Anchor





Exteriors

MAX WIDTH 4500MM X MAX DROP 3000MM (MAXIMUM AREA OF 12M2)

Venetian Blinds

The ever-popular, timeless Venetian Blind is arguably the most versatile blind in the world. There is virtually no domestic or commercial situation, from kitchen to lounge, boardroom to bathroom, conservatory to office foyer that cannot be met by a Venetian blind.

25mm Premium Venetian Blinds

- Proudly NZ made by Window Treatments NZ Ltd
- 18mm ladder string pitch, provides more overlap on
- Aluminium Head Rail and Bottom Rail
- Moulded Bottom Rail to prevent dust or moisture build up
- Light control
- · Special shapes available
- Suitable for both domestic or commercial situations
- Maximum size: Width 2400mm x Drop 2700mm
- Manual control with cord lock
- · Motorisation available
- 3 Year Warranty

25mm Privacy Venetian Blinds


- · Made in NZ, Privacy Venetians are manufactured using smaller 18mm ladder spring
- · Punch holes set to the back of the slat providing better closure
- Strong and versatile
- · Ideal solutions where superior light control and privacy is required
- Special shapes available
- Maximum size: Width 2400mm x Drop 2400mm
- Manual control with cord lock
- · Motorisation available
- 3 Year Warranty

50mm Venetians Blinds

- Made in NZ, 50mm post-modern retro look Venetians
- · Suitable for both domestic or commercial situations
- Max width 2400mm x drop 2400mm
- Strong and versatile
- Special shapes available
- Moulded Bottom Rail to prevent dust or moisture build up
- No fascia required on 50mm Venetian Blinds
- · Light control
- Manual control with cord lock or Motorised with wall mounted switch or remote

For more technical Venetian Blinds information, go to: www.window-treatments.co.nz/technical-info/ and click on Section05-HorizontalBlinds or scan the QR code >














Suitable for



All interiors

Venetian Blinds **New Image (wood look)**

The most hard-wearing blind in our stable has to be the New Image (wood look) Venetian Blinds. Whilst New Image Blinds can be installed in all types of interior windows, they are particularly suited for light control in areas of heavy foot traffic and wet areas such as cafés, public areas, offices bathrooms, kitchens and laundries. These blinds have the look and feel of wood, but with the practicality of polystyrene. New Image Blinds are also very cost effective and work well in commercial or domestic situations where a strong blind is required and budget limitations may apply.

- Proudly NZ made by Window Treatments NZ Ltd
- · Ideal for cafes, public areas, offices and domestic areas
- Available in eight fashionable colours including White Wash, Black, three White shade options and two Wood Grain finishes
- 50mm & 63mm compressed Polystyrene Slat
- 70mm contemporary flat fascia
- · Water resistant
- · Hardwearing and stable
- · Economical and an excellent alternative to the more expensive wood blinds
- · Has the look and feel of wood with the practicality of a synthetic non-porous finish
- Suitable especially for wet areas such as bathrooms, shower rooms, laundries and kitchens
- · Light control and room darkening
- · Electro glav steel head rail for extra strength
- · Manual control with a cord lock or Motorised with remote control
- 3 Year Warranty




For more technical Venetian Blind information, go to: www.window-treatments.co.nz/technical-info and click on Section05-HorizontalBlinds or scan the QR code >





All interiors







MAX WIDTH 2400MM X MAX DROP 2550MM (MAXIMUM AREA OF 3.5M2)

Wood Blinds







50.8mm & 63.5mm

If your home decor is suited to a slick contemporary painted look, and you love the qualities of wood, then our painted or stained Wood Blind option is perfect for you. Our timber is grown in sustainable forests worldwide. With all the benefits of longevity, thermal insulating and acoustic properties combined with the strengths of natural durability, our painted or stained wood blinds offer the best of both worlds. Cleaning lacquered wood blinds is simply a matter of wiping down the slats with a damp cloth and mild detergent and/or regular dusting.

Our 50.8mm & 63.5mm Wood Blind offer an extra special feature where the blind slats are made and assembled without cord slots in the slats. The benefit of this unique feature is that the blind provides better privacy and improved light control.

- Suitable for all areas of your home or office
- Fourteen Standard painted colours in both slat widths. Note: custom colours are not available in the painted finish
- Seventeen Standard stained colours in both slat widths. Note: custom colours are not available in the stained finish
- Slat widths of 50.8mm & 63.5mm
- Thermal insulation, acoustic properties, strength, and natural durability
- Ladder strings or ladder tapes
- · Hold down clips available for use of wooden blinds on doors
- Privacy option
- · Not suitable for raked windows
- Motorisation not available
- 3 Year Warranty









For more technical Wood Blind information, go to: www.window-treatments.co.nz/technical-info and click on ection05-HorizontalBlinds or scan the QR code >

Suitable for



All interiors

MAX WIDTH 2700MM X MAX DROP 3048MM (Subject to painted or stained selection Note max 7.43m²)

Vertical Blinds

For an alternative window dressing effect in your home or office consider elegant, Vertical Blinds. The contemporary fabrics we are sourcing for our Vertical Blinds have revolutionised this versatile blind. New fabrics are available in stylish colours and beautiful textures that look perfect in both domestic and commercial applications. Verticals have the additional benefit of being the ideal solution for irregular shaped windows such as a sloping window or on the traditional ranch-slider.

- Proudly NZ made by Window Treatments NZ Ltd
- Contemporary fabrics
- · Wide colour range in block-out, sunscreen and sun-filter designs
- Ideal for sloping or irregular shaped windows, sliding doors or sliding windows
- · Rust free aluminium tracking system
- Tracks available in white, ivory, silver, black and bronze (special track colours available)
- Two-wheel carrier provides ultra-smooth and quiet operation
- · Narrow stacking when drawn to the side
- · Light control whilst maintaining the view
- · Option of slats with or without stabilising chain
- · Stacking options: Left, Right, Centre opening, Centre closing. Note: Stacking function is not available for sloping or irregular shaped windows
- · Tilt control by chain, Stacking control by Cord or Wand
- 3 Year Warranty













- 1 The strong, reliable Window Treatments' tracking system with 2 wheeled carrier.
- 2 There are two control options for Verticals: Cord/chain control and Wand control:
 - Cord/chain control (standard) - Alternatives for the stacking position of your verticals: Stack right, Stack left, Centre stack or Centre opening. The cord/chain can be at either side of the blinds. Note: Stacking function is not available for sloping or irregular shaped windows.
- Wand control (child safety) -Alternatives for the stacking position of your verticals: Stack right, Stack left. If Centre stack or Centre opening are required the track is split into two (making them independent of each other), with cord pulls at the side of both tracks. The wand/s are always attached to the leading carrier. Note: Stacking function is not available for sloping or irregular shaped windows.
- 3 Cord Tidy
- 4 White Cordless bottom weight
- 5 White Chained bottom weight







Suitable for



All interiors

For more technical Vertical Blinds information, go to. www.window-treatments.co.nz/technical-info/ and click on Section13-Other-VerticalBlinds

MAX WIDTH 4000MM X DROP 3500MM (CORD CONTROL) | MAX WIDTH 3200MM X 3500MM DROP (WAND CONTROL)

Honeycomb Pleated Blinds 25mm & 38mm

Energy saving is becoming a high priority in our lifestyles and the Honeycomb range of pleated fabrics is perfectly suited for this trend. The honeycomb structure traps air in the inside layers which provides superior insulation in the winter and keeps the room cool in the summer. Honeycomb pleated fabrics are strong and easy to look after and are available in both blockout and light filtering fabric types.

- The most energy efficient window covering for your home or office. The honeycomb structure traps air in the inside layers which provides superior insulation in the winter and keeps the room cool in the summer
- 25mm & 38mm single cell Honeycomb structure.
- Available in a wide range of 45 blockout colours and 45 light filtering fabric colours
- · Less stacking space compared to all other blinds
- Options to operate from top to bottom (bunching at the top) or from the bottom to the top (bunching at the bottom). Further options to operate both from the top and bottom to the middle (bunching either top or bottom)
- Cords hidden inside cells no cord punch holes Control options:
 - Cord Lock: A cord lock can be positioned at either side of the blind and allows the blind to be raised, lowered and stopped at any position
 - Clutch Control: Continuous cord control.
 - Cordless: A cordless system has no visible cords and the blind is raised and lowered by a small hand grip which is fixed onto the middle of the bottom rail
 - Motorised: For the ultimate convenience, Honeycomb Blinds can be powered either by a 12v hard-wired transformer or a Dooya lithium rechargeable battery pack with the option of adding a solar panel









Clutch



Cord lock





Suitable for



For more technical Honeycomb Blinds information, go to: www.window-treatments.co.nz/technical-info/ and click on Section06-Honeycomb Pleated Blinds or scan the QR code >



Blocco Honeycomb Blinds

The perfect light and heat control solution for skylights and conservatories. The four-sided frame of the Blocco Honeycomb Blind maximises the elimination of light intrusion on the sides of the blind on both perpendicular and skylight windows. The raising and lowering of the blind is made possible with a looped belt drive, inside both side channels which are simultaneously driven manually or by the motor located in the headrail. Aesthetically pleasing, insulating and easy to operate we offer Blocco Honeycomb Blinds with Block-out and Light Filtering fabrics in a variety of colours.

- Proudly NZ made by Window Treatments NZ Ltd
- · Applications: When maximum light reduction is required in Commercial environments such as schools, hotels, hospitals and, Residential applications such as home theatre rooms and bedrooms
- 25mm Honeycomb pleat size with a selection of 45 colours
- Superior insulating factors with the air being trapped inside the two layers of fabric
- · Designed for light and heat control solution for skylights and conservatories
- · Cords hidden inside cells no cord punch holes
- · Four sided frame of the Blocco Honeycomb Blind maximises the elimination of light intrusion from the sides of the blind
- Suitable for both standard perpendicular windows and skylight windows
- Raising and lowering of the blind is with a looped belt drive, hidden inside both side Channels which are simultaneously driven by the motor located in the
- · Manual (with push/pull pole) or,
- Motorised powered either by a 12v hard-wired transformer or a Dooya lithium rechargeable battery pack with the option of adding a solar panel
- Solar panel can be connected to the battery pack to enhance battery life
- 3 Year warranty



For more technical Blocco Honeycomb Blinds information, go to: www.window-treatments.co.nz/technical-info/ and click on Section03-BloccoBlinds or scan the QR code >



MAX WIDTH 1800MM X DROP 2500MM









Suitable for



All interiors

Skylight Solutions & Specialty Blinds

Tailor-made solutions with Blocco Honeycomb, Shutters or Fixed Screen



Finding a window covering solution for an unusually shaped window or skylight is something Window Treatments is well known for. We have been creating original specialty blinds and skylight blinds to meet all manner of unique applications since the company began operating in 1984.

Because each specialty blind/skylight blind requirement is different and totally unique, it is impossible to list examples of every solution we have tailor made. However, some of the main options we have developed are:

Blocco Honeycomb

(also featured on page 36)

The four-sided frame of the Blocco Honeycomb Blind maximises the elimination of almost all light intrusion on the sides of the blind on skylight windows. Aesthetically pleasing, insulating and easy to operate, we offer Blocco Honeycomb Blinds with Block-out and Light Filtering fabrics in a variety of colours. Operation can be either manual (push/pull pole, handle) or motorised with a Dooya motor with option of adding a solar panel.

Fixed Screen

A new and innovative specialty blind which has been very popular is our fixed screen. Fixed Screens are used for irregular shaped windows or skylights which are often in "out of reach" places, but need light and or heat control. They are manufactured with either

For more Skylight Solution information, go to: ww.window-treatments.co.nz/products/skylightblinds/ or scan the QR code >

painted timber frames or magnetic frames which are discreet and custom made for every application.

Basswood Shutters

(also featured on page 42)

Basswood shutters can be manufactured to virtually any shape or size, and installed into skylight ceiling areas. The louvres are adjustable and for "out of reach" places, the tilting of the blades is done very simply by connecting a push/ pull pole to the tilt rod

of the shutter panel or by motorisation/ automation.













Shutters



Window Treatments' traditional European styled shutters includes both interior shutters (used on the inside of a house or building) and exterior shutters (used on the outside of a structure). Depending on your application, shutters can be constructed from either Basswood, Cedar, Aluminium or PVC. All shutters carry our standard 3 Year Warranty.



Shutters may be used for a variety of reasons: Visibility and airflow, including controlling the amount of sunlight that enters a room; To provide privacy, security and, To enhance the aesthetics of a building or terrace access adding to the practicality and mood of any interior or exterior. They can be either fixed permanently in place, hinged, bi-fold or sliding and come with various types of hardware and tracking systems.

- Motorisation/Automation available. 12V rechargeable battery motor with optional solar panel. Remote controlled.
- Motorisation perfect for out of reach places such as skylights or gable end windows



Aluminium Shutters


An exciting addition to our Shutter range is the new Aluminium Shutter. The hard wearing Aluminium Shutter can be used internally but is particularly suited for external applications.

Aluminium shutters are configured the same way as the standard Plantation Shutter with the exception of the tilt bar which is replaced with the Clear View metal tilt rod. The tilt bar is rebated into the side of the Aluminium louvre blade (on the reverse side of the panel), allowing for cleaner lines and unobstructed views through the shutters. The Aluminium Shutter is also available with a fixed louvre option (both ventilated and unventilated) and can be hinged, bi-folded or sliding. Aluminium shutters are available in four baked enamel colours, silver, satin black, pearl white and new birch.

For more technical Aluminum Shutter information, go to: www.window-treatments.co.nz/technical-info/ and click on Section07c-AluminiumShutters-P21-P30









available



Exterior





Louvre

Туре	Size	Thickness
Aluminium Aerofoil	89mm x 11mm	1.4mm

11mm (89mm

¢ varies

89mm

7_{mm}

Basswood Shutters


Basswood shutters provide heat insulation during the winter months and adjustable light and privacy control all year round. Shutters create a timeless style and appeal admired by many and they open an exciting new dimension to the interior design of any living space.



Folding and sliding shutters between rooms can be opened to link and adapt spaces or enhance a terrace access adding to the practicality and mood of any interior. Shutters can be manufactured to virtually any shape and size. Our Basswood Shutters come in a range of standard stain and painted colour options, or painted to the colour of your choice.

Tilt control options for adjusting the louvre position on Basswood Shutters include, a Tilt Rod positioned on the front of the shutter, a Clear View Tilt Rod positioned at one side at the back of the shutter, or a Concealed Tilt Mechanism hidden inside one of the stiles (rack and pinion system) - this is particularly suited when the tilting of the shutters is motorised. Clear View and Concealed options are suited to modern minimalist design environments and areas where space in front of the shutters is limited.

Basswood Louvre Widths for: Flat Blade & Aerofoil



For more technical Shutter information, go to: www.window-treatments.co.nz/technical-info/ and click on Section07b-Shutters-BasswoodAnd CedarShutters or scan the QR code >




Suitable for



All interiors













Basswood Shutter Specifications:

Leaf Width

Minimum single leaf width is 250mm using our standard 50mm stiles.

Single Leaf Height

Maximum single leaf height is recommended at 2800mm using our standard 50mm stiles.

Standard Mid Rail

One mid rail must be used when the shutter is 1800mm to 2800mm in height, and two mid rails for shutters over 2800mm up to maximum height of 3000mm.

Louvre Widths


The shutter louvres can be adjusted to control light, privacy and airflow. They are available in elliptical shape for the sculptured look or flat sides for a more traditional style. The louvre comes in 4 standard sizes: 47mm, 64mm, 89mm, 114mm Aerofoil.

Note: irrespective of how shutters are configured/installed, some light will pass through and around shutter panels therefore shutters will not provide a complete light block solution.



Cedar Shutters

Proudly NZ made by Window Treatments NZ Ltd, traditional European styled Cedar Shutters are a proven interior décor fashion statement for the best dressed homes. They provide a bold, striking alternative to more conventional blinds and are a very practical window treatment option. They look stunning in contemporary minimalist style homes or town houses, beautiful on classic villas and character homes and can transform simply designed houses. Window Treatments' Cedar Shutters are created from Western Red Cedar which is free of resin, lightweight and easy to work with. Its low shrinkage and superior insulation factors makes it ideal for shutters. Only the highest clear wood grade of mature timber is considered and colour graded, from light to dark within each shutter.







Louvre Widths

The shutter louvres can be adjusted to control light, privacy and airflow. They are available in elliptical shape for a sculptured look. The louvre comes in 2 standard sizes: 90mm Aerofoil and 68mm Aerofoil.


Note: irrespective of how shutters are configured/ installed, some light will pass through and around shutter panels therefore shutters will not provide a complete light block solution.



For more technical Cedar Shutter information, go to:

www.window-treatments.co.nz/ technical-info/ and click on Section07b-Shutters-**BasswoodAndCedarShutters** or scan the QR code >

Suitable for








Shutters can be manufactured with adjustable louvres or fixed louvres depending on your requirements.

PVC Shutters

PVC Shutters are particularly suited to damp areas such as bathrooms, kitchens, laundry or areas that have minimal ventilation. PVC Shutters have the look and feel of timber but are heavier than basswood hence the maximum leaf sizes are slightly less than basswood. A key feature of our PVC Shutters are that the styles and louvres are all extruded with an aluminium core which adds strength and stability to the shutter.









PVC Shutter Specifications:

Leaf Width

Minimum single leaf width is 250mm using our standard 50mm stiles.

Single Leaf Height

Maximum single leaf height is recommended at 2400mm using our standard 50mm stiles.

Standard Mid Rail

One mid rail must be used when the shutter is 1500mm to 2800mm in height, and two mid rails for shutters over 2800mm up to maximum height of 3000mm.

Louvre Widths

The shutter louvres can be adjusted to control light, privacy and airflow. They are available in elliptical shape for a sculptured look. The louvres come in 3 standard sizes: 64mm, 89mm, 114mm Aerofoil. Note: irrespective of how shutters are configured/installed, some light will pass through and around shutter panels therefore shutters will not provide a complete light block solution.

For more technical Shutter information, go to:

www.window-treatments.co.nz/technical-info/ and click on Section07d-PVCShutters-P31-P40 or scan the QR code >

Suitable for




All interiors









Palladio Folding Arm Awnings



Creating a stylish al fresco dining area, enhancing your indoor, outdoor flow and providing an innovative way to keep your interiors cool and shaded in the high summer months are all aspects that fashionable awnings can help you achieve. Awnings look aesthetically pleasing on all styles of home and once you have lived with the versatility and practicality they provide you will wonder why you didn't invest in one sooner. Folding Arm Awnings have evolved from the "open" folding arm system to the much improved Palladio "cassetted" folding arm system.

The European designed Palladio has improved aesthetics and uses smarter technology with a high emphasis on strength and corrosion resistance. In addition the cassette provides protection of the fabric when the awning is retracted and creates a very neat, stylish appearance.

Designed to withstand adverse weather conditions, the mechanisms on our awnings are tough and extremely reliable, requiring little maintenance. Note: Palladio Awnings should be retracted when winds exceed 35km/hr or when raining. The sophisticated good looks of the Palladio Folding Arm Awning, its convenience and ease of operation, have seen it become the most widely sought after awning system. The Folding Arm Awning is the perfect option for patios, shops, kiosks and other areas where a retractable sunshade is required with unobstructed passage

beneath, or where a drop arm awning cannot be fitted. The awning is intended to be secured directly to the wall or beneath the eaves. Available in widths of up to 7m, with projections up to 3.6m the Folding Arm Awning offers flexibility in its operation and can be motorised.

Motorisation

Motorisation has taken awnings into a new era of sophistication, convenience and functionality. External motorised awnings can feature wind sensors, rain, and sun sensors to provide ultimate convenience and trouble free operation. Motorised Palladio can also be installed with a motor which has an added feature of a manual override which can be used in the event of a power failure (note: with this option motors can only be installed on the right hand side).



- Proudly NZ made by Window Treatments NZ Ltd
- Suitable for your outdoor area, deck, patio, kiosks and café areas
- · A wide variety of fabric colours and options are available
- Hardware colours available - Perla, Bronze, Gun Metal. Non-standard colours are available at an extra cost and longer delivery time
- European made components
- · Rain Hood is standard (cassette system). This is a single piece outer profile which protects the tube and fabric when the awning is retracted
- · Awning arms are positioned behind front rail providing a more refined and compact finish
- High profile front bar improves stability and doubles as a valance
- 40mm x 40mm aluminium square bar with internal ribs for extra strength
- Marine grade (316) stainless steel bolts & screws are used in assembly of the awning.

- Wall fittings are galvanised steel
- Cross over arms option. This is particularly useful when a large projection is required (see image below)
- 70mm diameter fabric tube
- Pitch is pre-set by the factory but can be manually adjusted by the customer
- · Rafter brackets available
- Designed for wind speeds up to 35km/h. Palladio is not designed as a rain shelter therefore we recommend retracting the awning when rain is imminent. Rain Sensor is available as an optional extra
- To preserve the life of the awning we recommend allowing the fabric to dry before rolling up.
- Motor or crank control
- Pitch can be adjusted manually
- Optional telescopic front bar supports
- 3 Year Warranty







Folding Arms - with overlap

For those situations where a large projection is required but the width of the awning is limited by the installation location, Palladio has the option of "overlapping arms". Overlapping arms enable awnings to be constructed with narrow widths not normally possible with conventional arms. Overlapping arms are available in projections of 2100mm, 2600mm, and 3100mm.

Folding Arms - without overlap

Palladio is a medium to heavy-duty, cassetted folding arm awning for terraces, balconies, shops and restaurants, designed to withstand wind speeds of up to 35km/h. Solid design, stainless steel chain and powerful springs enable excellent fabric tension.



Optional Extras

Motorisation Sun Sensor













Motion Sensor





Telescopic front bar supports

In exposed areas, "telescopic front bar supports" can be connected to the front bar (2.1m, 2.6m, 3.1m projections only) to counter the sail effect of the awning. The supports must be disconnected prior to retracting the awning and, to prevent damage, we advise against supports when motors and wind sensors are used.

Suitable for



Outdoors

For more technical Palladio Folding Awning information, go to: www.window-treatments.co.nz/technical-info/ and click on Section08-Awnings or scan the QR code >

MAX SIZE UP TO 7M WIDE AND UP TO A 3.6M PROJECTION

Italia Box Radial Arm Awnings

The Italia Box awning system is the product of many years of evolution of radial arm awnings, resulting in better design, better construction and better functionality. The system is manufactured in New Zealand exclusively by Window Treatments using European made componentry.







- Proudly NZ made by Window Treatments NZ Ltd
- · Suitable for commercial and residential properties
- A wide variety of fabric colours and options are available
- · Full cassette is standard providing protection to the fabric
- · Front rail closes off the cassette when retracted
- · Perla is the standard component colour. Non standard component colours are available at an extra cost and longer delivery time
- 70mm diameter fabric tube
- · Designed for wind speeds up to 35km/h
- Motor or crank control
- Marine grade (316) stainless steel bolts and screws
- · Wall fittings are galvanised steel
- 3 Year Warranty

For more technical Italia Box Radial Arm Awning information, go to: www.window-treatments.co.nz/technical-info/ and click on Section08-Awnings or scan the QR code >



Optional Extras

Motorisation Sun Sensor





Rain Sensor

Wind Sensor Motion Sensor



Crank Handle

Suitable for

somfy



Outdoors

MAX WIDTH 4.5M X STANDARD PROJECTION (ARM LENGTH) 1M & 1.4M Special projections are available on request

Valance

Terrazza Awnings

Terrazza Awnings are ideal for providing external sun and wind control and mounted "on top" of a pergola, glass or open roof. In special cases Terrazza can be installed under a pergola or glass roof using additional custom made brackets however the system is primarily designed for "on top" installations. The Terrazza awning has been developed using European technology and components, and can be installed at any angle/pitch (0° - 180°) providing the cassette and front bar are positioned horizontally level. As Terrazza is designed for sun and wind control only, we recommend retracting the awning when rain is imminent. The system is manufactured in New Zealand exclusively by Window Treatments using European made componentry. The system is manufactured in New Zealand exclusively by Window Treatments using European made componentry.

- Proudly NZ made by Window Treatments NZ Ltd
- Suitable for installation "on top" of a pergola, glass or open roof at any pitch between 0° and 180° providing the cassette and front bar are positioned horizontally level
- A wide variety of fabric colours and options are available for commercial and domestic applications
- · Full cassette is standard which protects the tube and fabric when the awning is retracted
- Two piece cassette for ease of maintenance
- Two piece front bar for ease of maintenance
- More refined profiles and bracketing
- Marine grade (316) stainless steel bolts and screws and mounting brackets in galvanised steel
- Standard colours for most external parts are Gun Metal, Perla, White, Matt Black. Special colours also available at an extra cost and longer delivery time
- Designed for wind speeds up to 35km/h. Terrazza is not designed as a rain shelter therefore we recommend retracting the awning when rain is imminent. Rain Sensor is available as an optional extra
- To preserve the life of the awning we recommend allowing the fabric to dry before rolling up.
- · Reduced gap between side channel and fabric
- · Motorised with minimal running noise
- 3 Year Warranty

For more technical Terrazza Awning information, go to: www.window-treatments.co.nz/technical-info/ and click on Section09-TerrazzaPatioAwnings or scan the QR code >





For conservatories and pergolas



Optional Extras

Sun Sensor



Rain Sensor



Wind Sensor



Remote Control



Sun & Wind Sensor



Hard Wire Switch








Outdoors

MAXI WIDTH UP TO 4M X PROJECTION UP TO 4M

Total area (width x projection) up to maximum of 12m2



Following many years of research, refinement and technological advancement of the Louvre Roof concept, we now offer our Louvre Roof systems to the New Zealand market. European designed and manufactured and installed by Window Treatments NZ Ltd, our Louvre Roof system is stylish, minimalistic and very robust. The system can be installed onto an existing Pergola structure or free-standing with aluminium posts and beams, or a combination of both.


Our Louvre Roof is available in two standard colours or powder coated to a colour of your choice. All Louvre Roofs are motorised with a retro-styled Elero (Italian) 240v Motor which can be controlled by an external hardwired switch or by remote.

Enclose your Louvre Roof with Securos...

A further enhancement of the Louvre Roof is that we can install Secure exterior motorised or manual blinds on the sides of the Louvre Roof to either fully or partially enclose the space. Securo blinds are available in both Techo X Screen and clear PVC. (see images next page)

Light up your Louvre Roof with LED strip lighting (Optional)

We can install multi (6) coloured LED strip lighting to either 2 sides or 4 sides of your Louvre Roof. These new generation outdoor rated LED strips are installed with standard dimming and colour selection options. The LED strip lighting is conveniently controlled by remote control.



- Proudly NZ made by Window Treatments NZ Ltd
- Suitable for your outdoor area, pergola or café where rain and wind shelter are required
- Standard colours: Gun Metal (metallic grey/black) and Perla (off white) or special colours (surcharge applies)
- Sleek aluminium elliptical shaped rotating louvres with quiet closure
- Marine grade stainless steel parts
- 7m projection is possible without a middle post
- · Classical, stylish, minimalistic and very robust
- Multi modular louvre roofs can be manufactured for large areas
- External durable powder coating system with 60-100 micrometre thickness of powder coating (Standard PN-EN ISO 2360)
- Outdoor rated LED Strip Lighting with dimming control and 6 colours (optional)
- Option to enclose your Louvre Roof with Securo outdoor blinds
- Note: The Louvre Roof is weatherproof but is not guaranteed to be watertight in adverse or storm conditions (Louvres must be opened when wind exceeds 65km/hr and or when snowing. In high wind areas, we recommend installing a wind sensor which will open the louvres automatically in high winds.)
- 3 Year Warranty

For more technical Louvre Roof information. go to: www.window-treatments.co.nz/technical-info/ and click on Section10-LouvreRoof or scan the QR code >





Installation Types

- Free standing Louvre Roof with 4 to 6 posts: The louvre roof is not attached to a wall, house or building and is free standing.
- Existing Pergola structure: Installing a louvre roof within or on top of an existing pergola structure into Steel, Timber or Concrete
- 3. Installing against an existing house or wall structure: On this installation type, the louvre roof is supplied with standard aluminium 85mm x 212mm projection and cross beams
- 4. Optional LED Strip Lighting



MAX WIDTH OF 4100MM WITH A 7000MM PROJECTION



Magnetic Insect Screens







Magnetic Insect Screens are economical and provide a very practical solution for keeping out those unwanted flies and insects. One of the most important features of our Magnetic Insect Screens is the superior quality of our screen mesh. Phiferglass Pool & Patio Mesh provides good vision and is both dimensionally stable and fire retardant. We recommend regular dusting and, if necessary, marks may be removed with gentle cleaning using mild detergent and a damp cloth.

If required, block-out and sunscreen fabrics can be substituted for Insect Mesh. This can be a perfect alternative particularly for irregular shaped windows and/or for windows in out-of-reach places. Where space is limited and privacy is required, such as a glass exterior door, a magnetic screen with a block out fabric can be a better option to a conventional Roller or Venetian blind.

- Proudly NZ made by Window Treatments NZ Ltd
- · Suitable for all areas in your home or office where insect control is required or in those hard to reach places where light control is required
- · Screen: Phiferglass Pool & Patio Mesh
- Block-out, Sunscreen or Light Filtering fabrics can be used as an alternative to Phiferglass Pool & Patio Mesh
- Easy lift corners available in five colours
- Easy lift corners and frames available in five colours
- Durable PVC frame with strong magnets
- · Easy to clean
- 3 Year Warranty

For more technical Magnetic Insect Screen information, go to: www.window-treatments.co.nz/technical-info/ and click on Section13-Other-MagneticInsectScreen or scan the QR code >











White

Grev Cream Brown (Colours shown are indicative only)

Black

MAX WIDTH 1000MM X DROP 2300MM

Width x drop must not exceed 2.3m2

Motorisation - Somfy®

Hardwired motors & Somfy® facade management systems

Somfy® hardwired motors

Somfy® is by far the largest producer of blind motors with over 150 million motors manufactured since its inception. Today, Somfy® manufacture a motor almost every second and serve 270 million users worldwide. We are very proud of our 20 years supply partnership with Somfy® and we are well positioned and experienced to satisfy the automation needs for both residential and commercial projects. Window Treatments are recognised by Somfy® with a "Somfy® Expert Gold" status. When considering automation for your blinds, awnings or Securos®, hardwired motors are always preferable. Somfy® battery motors are available for blinds when hardwiring is not possible so it is important particularly for new builds that pre-wiring should be considered for any automation requirements. Window Treatments have a dedicated "Automation & Technician Specialist" who can provide guidance to you or your Electrical contractor/Architect, on wiring and switching requirements for the successful implementation of automation. Many customers are using our Somfy automation systems as a further solution to sustainability and energy conservation strategies, both commercially and domestically. Apart from light control, sustainable strategies and security purposes, automation system controlled blinds are aesthetically pleasing. They are beneficial for applications such as wall to wall, floor to floor glazing as there are no cords or controls visible. Our highly skilled automation staff are experienced in working with all automation systems, architects, builders, electricians and technicians. For further assistance and advice on your future comfort, phone Window Treatments - we are experts in the automation field.

Somfy® Façade Management Systems

The next generation of home automation, building management and commercial facade management systems are smart, reliable, easy to use and practical, essential for all new quality builds. Some systems can be accessed and controlled remotely online from anywhere in the world, by smart phone, on-site display modules

and/or individual 'intelligent' wall switches (requires additional 3rd party applications and/or Building Management Systems). For commercial applications Window Treatments supplies and supports the Somfy Animeo® IB which is a total solar management system utilizing the Somfy powered intelligent motorised window coverings as well as digital keypads and weather sensors. This advanced and affordable system provides solar tracking, solar depth management and timed events. A variety of Somfy® weather sensors are compatible with Animeo® IB, including rain, wind, sun and temperature sensors. Sensor configuration and setup is easy using Animeo® IB's intuitive user interface. Our Automation & Technician Specialist consults and facilitates the installation of Window Treatments' motorised blinds, Securos®, awnings and facade management systems throughout New Zealand.

- $Somfy @ \ tubular \ motors \ are \ some \ of \ the \ world's$ quietest
- Programming can be managed easily with the use of the radio remote control or in most cases your smart phone/iPad etc
- Window Treatments can interface our motorised Blinds and Awnings with most other Building Management systems in the market
- Can be used in conjunction with sensors and timers to protect your premises even when you are not in
- Hardwired and Wirefree battery motors are also available when hardwiring is not possible
- Remote options: Hardwired and RTS (Radio Technology Somfy®)
- Somfy® Connexoon app allows advanced control options for your motorised blinds
- Note: Raising and lowering speed of motorised Roller blinds may vary from blind to blind due to small variations in tube diameter, fabric thickness and signal performance
- 5 Year Warranty on Somfy® motors.

For more technical automation information, go to: www.window-treatments.co.nz/technical-info/ and click on Section14-Motorisation-AllProducts or scan the QR code >





Motorisation - RollEase Acmeda®

Li-ion Series Wirefree and Automate Hard Wired motors

For selected blinds where electrical circuits are difficult to install we now have specialised motors powered by long-life batteries rechargeable batteries After many years of development and the availability of new technology, Window Treatments can now offer rechargable battery motors by Rollease Acmeda®. The 'Li-Ion Series Automate Wirefree motor' is so advanced that when Wi-Fi is present and paired to the Automate Pulse Hub, each motor can provide feedback to your smart phone indicating (via a graphic) the current position of the blind whether it's up, down or partially up/down. This feedback also provides the battery level remaining on each motor so that recharging can be done in a timely manner.

Recharging can be done simply by connecting a charger to a 240v power outlet or automatically by a small solar panel installed behind the head rail of the hlind

Optional timer controls and sun sensors, which can be teamed with motorisation, are of great benefit for those who like to have their furnishings protected when they are at work or away on holiday. The sun sensors will raise and lower your blinds as required to protect your carpet, furniture and artworks. With a timer control you can programme your blinds to open and shut at certain times of the day to conserve energy and reduce air conditioning requirements.

For further assistance and advice on your future comfort and convenience, phone Window Treatments we are experts in the automation field.

- Window Treatments uses motors and control systems by USA/Australian company RollEase® Acmeda
- RollEase® Acmeda tubular motors are some of the world's quietest
- Programming can be managed easily with the use of the radio remote control or in most cases your smart phone/iPad etc via the RollEase® Acmeda Pulse 2
- Window Treatments can interface our motorised Blinds with most other Building Management systems in the market
- Can be used in conjunction with sensors and timers to protect your premises even when you are not in
- Hardwired and Wirefree battery motors are available
- Solar panel option for wirefree motors
- Remote options: Hardwired and RTS (Radio Technology RollEase® Acmeda) option
- Note: Raising and lowering speed of motorised Roller blinds may vary from blind to blind due to small variations in tube diameter, fabric thickness and signal performance
- 5 Year Warranty RollEase® Acmeda motors

For more technical automation information, go to: www.window-treatments.co.nz/technical-info, and click on Section14-Motorisation-AllProducts or scan the QR code >








Remote Descr: Paradigm 5CH ARC Remote (5 Channel)



Automate Pulse 2 Hub





FEATURES













Electronic Limit Switch

Battery Powered

Level Control

433MHz

APPLICATIONS



Roller Shade

CHARGING OPTIONS







Motorisation - COULISSE

Eve Motionblinds motors by Coulisse

Eve Motionblinds motors by Coulisse are the new standard for smart window coverings. With built-in technologies Matter and Thread these motors connect seamlessly with smart home platforms such as Apple Home, Google Home, Amazon Alexa, and Samsung SmartThings. All without the need to install an extra bridge or create an account, guaranteeing 100% data privacy.

What is Matter?

Matter is a new communication protocol which lets smart home devices communicate with each other independently of the eco-system they belong to. In other words, it's a common 'language' that lets smart home devices chat and understand each other. For consumers, this means more flexibility in the future and less headaches about compatibility with your smart home platform.

What does a Matter-certified smart window covering actually do?

Matter-enabled devices such as Coulisse's Eve Motionblinds motors are a breeze to integrate into your smart home. Your entire family can control your blinds and curtains through their preferred voice assistant or app. That's because Matter doesn't mind if you use an iPhone, Android device or call upon Alexa, Siri or Google Assistant.

Coulisse's Eve Motionblinds motors can also interact with other smart devices, including lighting, thermostats and weather stations. Through customised smart home automations your blinds or curtains can open and close when the temperature reaches certain levels, ensuring your space maintains an ideal climate while saving eneray.


Control: Control your blinds and curtains remotely via the app of your smart home platform, voice commands, or create custom automations to let the blinds interact with other smart devices. In addition to all smart control options, manual operation is available. A pull-control always works and doesn't need any connection or smartphone - with a simple pull, your blinds move automatically.

Connectivity: Providing one of the following Thread border routers is on the property an additional bridge or hub is not necessary.

First decide which platform you want to use to control your smart home devices. If it's via Siri or the Apple Home app, go for one of the listed hubs from Apple. If it's Alexa you'd like to ask to control your home, choose the listed Echo hub, and so on...

For further assistance and advice on your future comfort, phone Window Treatments - we are experts in the automation field.

- Quick and effortless setup
- No bridge installation
- No additional user accounts
- Local network and 100% data privacy
- Enhanced responsiveness and reach
- Cable-free installation
- Rechargeable with USB-C
- Control from anywhere
- Manual control available
- Automated home comfort settings
- Energy saving



For more technical automation information, go to: www.window-treatments.co.nz/technical-info/ and click on Section14-Motorisation-AllProducts or scan the QR code >



Apple Home

*Apple TV 4K (3rd gen, 128 GB)

*Apple TV 4K (2nd gen)

*HomePod (2nd gen)

*HomePod mini

Note: Not limited to the above. The list of smart platforms is increasing rapidly.

SmartThings

*SmartThings Hub v3

*SmartThings Station

*Echo Show 8 (3rd gen)

*Echo (4th gen)

Alexa

Google Home

*Nest Hub (2nd gen)

*Nest Hub Max

*Nest Wifi Pro

Frequently Asked Questions

Q. Window Treatments' products are very pricecompetitive in the market place. How does the quality compare?

A. Excellent. Our prices are very competitive because we sell direct, from the factory to the customer. There are no middlemen. Our quality is first-rate as our fully trained and skilled staff manufacture our products to meet international standards both in our high-tech plant in Christchurch and overseas.

Q. Do you offer a free, no obligation, measure and quote?

A. Yes, we have a team of skilled consultants who can advise on the selection of blinds, shutters, awnings, louvre roofs or insect screens that will fulfil your specific needs, as well as show you product samples which will allow you to select suitable colours, textures and fabrics from the infinite variety available. Phone 0800 36 36 39 anytime for an appointment.

Q. Do your prices include installation?

A. Yes. We have a team of skilled installers throughout the country, who will install and test your curtains, blinds, shutters, louvre roofs or awnings to ensure they are operating correctly.

Q. How do I clean my curtains and blinds?

A. For most curtains and blinds a light regular dusting will maintain their like-new appearance. For deeper cleaning vacuum with the brush attachment of your vacuum cleaner. For professional blind cleaning, contact cleaning services such as Blind Care Company in Christchurch (Ph 03 377 0770), Mr Sparkel Auckland, Rosedale (Ph 0800 11 55 37), Mr Sparkel Gisborne (Ph 027 414 4233 or 06 867 4972), Mr Sparkel in Wellington (Ph 04 570 0705), Easy Clean Blinds in Napier (Ph 06 876 7111). For all other areas, just call us on 0800 36 36 39 and we will recommend a suitable cleaner.

Q. I have young children and safety is a big concern for me. Which Window Treatments' products should I select?

A. At Window Treatments' we are very safety conscious. Ask one of our consultants about motorisation which removes the need for any loose cords or choose your blind to be installed with a cord tidy.

Q. Which blind types have the best thermal properties?

A. Blocco Honeycomb Blinds, Blocco Rollers, Honeycomb Blinds, Shutters, Cedar Blinds, Timber Blinds.

Q. Do you have the fabric that, when I am inside I can see out, but people cannot see in?

A. We do have fabrics like these which provide privacy during day time whilst at the same time give you the ability to see out. However at night time with the house lights on, the reverse applies so total privacy is not always possible using only one fabric. Our double roller systems have evolved to address this issue by allowing two fabrics to be used.

Q. I am looking for window treatments that can be motorised and operated by remote control. Which products can do this?

A. Motorisation with remote control is available on all our products except Wooden Blinds.

Q. I see your products offer something called UV protection - what's that?

A. We test our products for how well they filter out the sun's UV rays and the heat associated with those rays, on a scale of 0 to 8 (8 being the optimum UV protection). Most of our fabrics are between 5 to 7 on this scale.

Q. Can I put wood blinds or shutters in the bathroom?

A. Yes, provided the room is well ventilated and the blinds or shutters have a painted or lacquered finish. Ideally for these wet areas we recommend PVC shutters and New Image (Compressed Polystyrene) blinds.

Q. How long is your guarantee?

A. We provide a full guarantee on product and installation for three years, and some fabrics have a five year guarantee.

Q. Are spare parts readily available? If so, where can I get them?

A. Yes, because we manufacture in New Zealand, replacement parts are readily available from any Window Treatments' branch nationwide or you can buy online at www.blindparts.co.nz or purchase from Mr Sparkel and The Blind Care Company (see page 51 for contact details)

Q. How do blind prices compare in relevance to one another?

A. This varies according to the size of the window that you are covering but as a general rule of thumb the order of pricing from the least expensive to the most expensive are: Venetians, Verticals, New Image, Rollers, Blocco, Cedar blinds, Securo and then Shutters.

Q. I work all day. Do you offer after hour appointments?

A. Yes, we can arrange this. Simply phone 0800 36 36 39 anytime for an appointment.

Q. How long, after ordering, will it take to get my blinds installed?

A. Approximately four weeks depending on the product selected.

Q. Can the technicians take down my old blinds when installing my new blinds?

A. The technicians can remove your old blinds and the cost to do this is best discussed with the Sales

Q. Can the technicians fix some of my old blinds in another room, when they install my new blinds?

A. Yes - if they are Window Treatments' blinds but charges may be incurred. Alternately repairs can be carried out by Mr Sparkel, Easy Clean Blinds or The Blind Care Company (see page 51 for contact details).

Q. How can I pay?

A. By cash, Visa, Mastercard, Internet Banking or Eftpos.

Q. Do you offer extended credit?

A. Yes, we can offer 18 months interest free with Q Card, or six months interest free and payment deferred with GEM Visa or Q card. Conditions apply.



For more information go to: www.window-treatments.co.nz

FREEPHONE **0800 36 36 39**

Anytime... our phone lines are open 24hrs, 7 days

WINDOW TREATMENTS NZ LTD

Head Office, Administration & Export

Address: P O Box 6260 Upper Riccarton

Christchurch 8442 0800 36 36 39

Telephone: +64 3 343 1876 Facsimile: +64 3 343 0277 headoffice@window-treatments.co.nz export@window-treatments.co.nz

Whangarei Consultant

Freephone:

+64 9 438 0564 Telephone: Mobile: +64 27 254 9130

whangarei@window-treatments.co.nz

Auckland Branch & Showroom

Address: 14A Omega Street

> Rosedale Auckland 0632

Telephone: +64 9 525 6555

auckland@window-treatments.co.nz

New Plymouth Consultant

Telephone: +64 6 759 0056

newplymouth@window-treatments.co.nz

Hamilton Consultant

+64 7 850 6154 Telephone: +64 27 436 7583 Mobile:

hamilton@window-treatments.co.nz

Tauranga Consultant

+64 7 577 0764 Telephone: +64 27 557 4148 Mobile:

tauranga@window-treatments.co.nz

Rotorua Consultant

Telephone: +64 7 343 1655 +64 27 557 4148 Mobile:

rotorua@window-treatments.co.nz

Gisborne Consultant

Telephone: +64 6 867 4972 +64 27 414 4233 Mobile:

gisborne@window-treatments.co.nz

Hawke's Bay Consultant

Telephone: +64 6 845 9180 Napier Telephone: +64 6 878 2690

Hastings

Mobile: +64 27 541 2603

hawkesbay@window-treatments.co.nz

Palmerston North Consultant

Telephone: +64 6 358 6994 Mobile: +64 27 245 4410

palmerstonnth@window-treatments.co.nz

Masterton Consultant

Telephone: +64 6 378 9100 +64 27 590 2142 Mobile:

masterton@window-treatments.co.nz

Wellington Branch & Showroom

Address: 41/55 Percy Cameron St Avalon, Lower Hutt 5011

+64 4 570 0701 Telephone:

wellington@window-treatments.co.nz

Nelson Consultant

+64 3 543 8015 Telephone: Mobile: +64 27 554 4648

nelson@window-treatments.co.nz

Blenheim Consultant

+64 3 579 3062 Telephone: +64 27 554 4648 Mobile: blenheim@window-treatments.co.nz

Christchurch Branch & Showroom

47 Mandeville Street Address:

Riccarton,

Christchurch 8011 Telephone: +64 3 348 5344

christchurch@window-treatments.co.nz

Ashburton / Timaru Consultant

Freephone: 0800 36 36 39 Mobile: +64 27 579 8856

midcanterbury@window-treatments.co.nz

West Coast Consultant & Showroom

Freephone: 0800 36 36 39 +64 21 910 679 Mobile:

westcoast@window-treatments.co.nz

Dunedin Branch & Showroom

Address: 247 Hanover Street

Dunedin 9016

+64 3 474 0461 Telephone:

dunedin@window-treatments.co.nz

Central Otago Consultant

Telephone: +64 3 442 8409 Mobile: +64 27 481 7205

centralotago@window-treatments.co.nz

Invercargill Consultant

+64 3 213 5052 Telephone: +64 27 254 9138 Mobile:

invercargill@window-treatments.co.nz

CLEANING & REPAIRS

Auckland - Mr Sparkel Ltd

Address: 14A Omega Street,

Rosedale.

Auckland 0632 +64 9 441 8305 Telephone: 0800 11 55 37 Freephone:

Email: auckland@mrsparkel.co.nz Website: www.mrsparkel.co.nz

Gisborne - Mr Sparkel Ltd

Telephone: +64 6 867 4972 Mobile: +64 27 414 4233 Freephone: 0800 11 55 37

Email: gisborne@window-treatments.co.nz

Website: www.mrsparkel.co.nz

Hawke's Bay - Easy Clean Blinds

1/30 Hyderabad Road, Address: Marewa, Napier 4110 +64 6 876 7111 Telephone: 0800 11 55 37 Freephone:

Email: tamila@easycleanblinds.co.nz Website: www.easycleanblinds.co.nz

Wellington - Mr Sparkel Ltd

Address: Unit 40

55 Percy Cameron St Avalon, Lower Hutt 5011

+64 4 570 0705 Telephone: Freephone: 0800 11 55 37

Email: wellington@mrsparkel.co.nz Website: www.mrsparkel.co.nz

Christchurch - The Blind Care Company Ltd

47 Mandeville St. Address:

Riccarton. Christchurch 8011

+64 3 377 0770 Telephone: 0800 11 55 37 Freephone:

Email: service@blindcare.co.nz Website: www.blindcare.co.nz

READY MADE BLINDS AND CURTAINS LTD

NATIONWIDE

Freephone: 0800 77 00 44 Email: service@rmbc.co.nz Website: www.rmbc.co.nz



Shop online for BLINDS PARTS

Email: sales@blindparts.co.nz Website: www.blindparts.co.nz





You name it, we make it!